



ดร.ฟิสิก

DR.
FIXIT

WATERPROOFING EXPERT

*English
Product
Catalog
2018*



www.dr-fixit.co.th

Call Center: 0-2722-8535

 www.facebook.com/DrFixitThailand




**Pidilite Bamco are
marketed under
“DR. FIXIT” brand**

Pidilite Bamco Limited was established in 1993 to serve the growing regional requirement of high quality and performance of Construction Chemicals and Specialties for civil, infrastructure, commercial and industrial construction projects.

The driving force of Pidilite Bamco is a commitment to provide the highest quality of products and services to our clients. Our Research and Product Development Center comprises a team of experienced chemists and engineers developing quality products to meet needs of the modern construction industry and to make products that suit different climates requirements and specifications. Our products are made to meet international standards and manufactured under ISO 9001 : 2015 , with production facilities in Thailand.

Our Research and Development centers are at Singapore and Thailand. With the objective to have a full range of products in Construction Chemicals to best serve requirements of clients, Pidilite Bamco has joined with Pidilite Industries of India in 2006 to introduce Dr.FIXIT products range in the Asia Pacific region. Pidilite Industries Ltd. is a well established company with a long time tracked record of almost 50 years. The company is the leader in Adhesives and Speciality Chemicals with renowned brands like Fevicol, Ferikwik, Fevicryl, M-Seal etc. marketed worldwide in over 30 countries around the world.





1. Exposed Roof

- Hydrolastic PU Cool
- Hydrolastic PU
- Super Sunshield
- Newcoat
- Hydrolastic RF
- Torchshield
- Funki Wash

2. Roof Garden

- Newcoat Roof Garden

3. Roof Under Screed

- Flexi PU 270 (I)
- Hydrolastic PU Seal
- Solyseal
- Roofkote #1
- Roofkote Fibernet
- Roofkote Polymat

4. Balcony and Gutter

- Rainkote #3
- Rainkote Colour
- Rainkote Fix and Seal
- Gap Seal Tape

5. Bathroom

- Bath Seal Super
- Pidifin 2K
- Fevimate XL
- Silicone GPS
- Bath Seal Grout

6. Swimming Pool and Pond

- Fastflex
- Fevimate TL
- PU Sealant
- PVC Water Stop
- Bentonite Water Stop

7. Foundation and Basement

- Hydrolastic PU Seal
- Krystalline
- Self-Adhesive
- Coal Tar Epoxy 82
- Airless Sprayer

8. Floor and Wall

- Skimkote Powder
- Skimkote 101
- Skimkote 103 Color Plus
- Beauflex 500
- PU Sealant
- Unitop SLC-1
- Pidotop 333
- Solyfilm #1
- Nano Water Repellent

9. Concrete Road and Barrier

- Pidijoint 6690
- Sealobond 1190
- Permaseal 1190
- Texton 3406
- Con-Joint
- Pidijoint 6297
- Hot Joint Applicator
- Easi Seal
- Premix
- P-Kote 1062
- Multicolor
- TraxTite
- Bike Lane TR

- Zefiti Kwik AS
- Zefiti Kwik
- Joint Filler 1751
- Geomatt 4595
- Unicure SS
- Unirelease WB
- Unirelease SB

10. Grouts and Repairs

- Pidigrout 10M
- Pidigrout 5M
- Unirepair FC
- Epoxy Rebar Grout
- Instant Leak Plug
- Super Latex
- Tonic
- WP Admix





Dr.Fixit Flexi PU 270 (I)

100% Solvent Based Polyurethane Guarantee to last up to 25 years



- Strong, no need for supporting fibre, small coverage rate compare to other polyurethane liquid waterproof topcoat membrane
- Allow water vapour permeability result in no air bubble formation on film
- High elasticity, cover cracks, seamless
- Excellent adhesion on various surfaces
- Excellent resistant to acid, alkali, oil, seawater and domestic chemicals
- Sprinkle sand strengthen surface for pedestrian traffic

Areas of Application

Concrete roof terrace, tile roof, metal sheet

Package 25kg bag

Coverage 0.6kg/sqm/layer

(2 layers DFT approximately 1 mm)

DR.FIXIT Hydrolastic PU Cool

Polyurethane waterproofing & solar reflectance



- Reflect >94%, Lower room temperature to 15°C
- Elasticity 5 times, cover cracks seamlessly
- Easy to use, no need for strengthen fabric and fibre, resistant for pedestrian traffic.
- Withstand standing water, no blistering, excellent water vapour permeability
- UV & weather resistant, colours not fade

Areas of Application

Waterproof & solar reflect roof surfaces (concrete, metal), roof terrace, interior & exterior wall, gutter, cold room, rack server (paint for energy saving)

Package 25kg (White, Light Grey, Light Green)

Coverage 0.7kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT HYDROLASTIC PU

Roof Terrace Polyurethane Waterproof



- Durable, no strengthening fibre needed
- High elasticity, cover cracks, seamless, withstand earthquake vibrations
- Quick drying, high adhesion
- UV radiation resistant, prevent algae & fungi formation
- Easy to use, nontoxic

Areas of Application

Waterproof roof, terrace, wall, gutter
High traffic, high strength area

Apply on various surfaces; concrete, aggregate cement mix, asbestos, brick, steel, zinc, metal, wood, roof tile, etc

Package 25kg (white, grey, green)

Coverage 0.7kg/sqm/layer (3 layers DFT approximately 1 mm)

DR.FIXIT NEWCOAT

Roof terrace acrylic waterproof with strengthening fibre



- Easy to use, no strengthening fibre mesh needed, good tensile strength
- Strong, abrasion resistant, weather resistant, for general use
- Prevent algae & fungi formation, alkaline & efflorescence resistant
- Permanently elastic, does not crack
- Easy to clean, leave no stains
- Water-based, nontoxic

Areas of Application

Roof terrace, concrete wall, roof, gutter, foot traffic in big area

Package 1kg, 5kg, 20kg, 25kg

(white, light grey, green, light green)

Coverage 0.7kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT Hydrolastic RF

Roof terrace high elasticity acrylic waterproof



- High elasticity >500%, good adhesion, accommodate surface expansion
- Protect from water leak upto 100%, beautiful & seamless
- Resistant to sun & rain, good tensile strength, passed 3000 hours QUV test

Areas of Application

Roof, roof terrace, wall, concrete, metal, galvanized steel

Package 5kg, 20kg, 25kg (white, light grey, green)

Coverage 0.7kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT RAINCOAT COLOR

Crack covering acrylic waterproof



- Prevent water leak, resistant to sun and rain
- Cover cracks, does not shrink, paintable
- Elastic, high adhesion
- Water-based, safe

Areas of Application

Roof, roof terrace, wall, balcony, floor, cracks, small areas

Package 1kg, 3.5kg (white, grey)

Coverage 0.7kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT NEWCOAT PU ROOF GARDEN

Roof garden root barrier polyurethane bitumen hybrid waterproof



- Protect from root penetration of all root types without harming plant
- Elasticity >10 times, withstand earthquake vibrations
- Easy to use, paint/spray, seamless, no strengthening fibre needed
- Durable, high adhesion, can immerse in water, does not blister
- Water-based, quick drying, nontoxic

Areas of Application

Roof terrace, balcony, roof garden
Waterproof flowerpot, plant nursery

Package 20kg (Black)

Coverage 0.5kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT HYDROLASTIC PU SEAL

Quick drying moisture resistant polyurethane bitumen hybrid waterproof



- Quick drying, >20% surface moisture resistant
- Elasticity >10 times, cover cracks, withstand earthquake vibrations
- Excellent adhesion, can immerse in water
- Viscous, durable, seamless, no strengthening fibre needed
- Easy to use, nontoxic, no odor

Areas of Application

Aquafarm, retaining wall, underground structure, roof terrace, balcony, on bathroom coating materials that are often moist & damp.

Package 22kg (Black)

Coverage 0.5kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT SOLYSEAL

Concrete roof terrace water-based waterproof coating



- Excellent elasticity, withstand traffic
- Prevent from water leak seeping through permanently, good adhesion
- Moist protection
- Seamless
- Durable in immerse water condition

Areas of Application

Concrete roof terrace, gutter, drain, underground structure

Package 18kg, 200kg (Black)

Coverage 0.5kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT Roofkote No.1

Cold room, ship container bitumen emulsion waterproof



- Prevent water leak, seamless
- Prevent rust, rot, paint on metal for sound deadening
- Protect concrete from salt water corrosive effect
- Good elasticity, chemical resistant

For more high quality efficient durable waterproof features apply Dr.Fixit Roofkote No.1 with Dr.Fixit Roofkote No.2 (bitumen emulsion protect from water leak contains short strengthening fibre) and Dr.Fixit Roofkote No.3 (bitumen emulsion protect from water leak contains long strengthening fibre)

Areas of Application

Roof, wall, gutter, concrete roof terrace.

Apply various surfaces; concrete, metal, parquet, wood plastic composite, under car exhaust pipe, cold room, underground structure

Package 18kg, 200kg (Black)

Coverage 0.5kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT RAINKOTE NO.3

Concrete roof terrace, gutter water-based bitumen waterproof



- Prevent water leak & moisture resistant
- Prevent rust & rot, seamless
- Durable, safe, easy to use

Areas of Application

Roof, wall, gutter, concrete roof terrace, door, fence, steel structure, wood structure, metal, under car exhaust pipe

Package 1kg, 3.5kg, 18kg (Black)

Coverage 0.5kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT Bath Seal Super Ready to use Polymer Waterproof for bathroom, kitchen



- No need to mix, can open lid and use immediately, remove issue of mixing wrong ratio
- Easy to use, can waterproof with thin coating, high elasticity
- Can apply immediately on top of old tiles, no need to remove old tiles
- Can immerse in drinking water, nontoxic, leave no residue harmful to user

Areas of Application

Bathroom wall & floor, tiling of washing area, fishpond, balcony, concrete gutter

Package 4kg (Blue)

Coverage 0.7kg/sqm/layer

(3 layers DFT approximately 1 mm)

DR.FIXIT FASTFLEX

High elasticity 2 parts mix cementitious waterproof for swimming pool



- Excellent protection from moisture and water leak, withstand high hydrostatic pressure
- Excellent elasticity, Earthquake Vibration Resistance
- Excellent adhesion on concrete, brick, concrete block
- Quick drying, can apply on moist area
- Can apply drinking water application, nontoxic

Areas of Application

Swimming pool, large underground structure, water immerse areas, concrete water reservoir

Package 48kg, 2 parts set (28kg powder, 20kg liquid)

Coverage 1.1kg/sqm/coast

(2 layers DFT approximately 1 mm)

DR.FIXIT PIDIFIN 2K

Elasticity 2 parts mix cementitious waterproof for bathroom, water tank



- Apply only 1mm dry film thickness, economical per sqm
- Elastic, excellent adhesion to concrete, masonry and tile adhesive
- Excellent in protecting from water leaks, no leaks at 10m hydrostatic pressure
- Nontoxic, no volatile organic compound and environmentally friendly
- Suitable at kitchen, bathroom, swimming pool, balcony, water tank

Areas of Application

Toilet, kitchen, washing area, balcony, footpath, car park, concrete roof terrace, waterproof water reservoir concrete masonry wall, swimming pool

Package 15kg, 2 parts set

(10kg powder, 5kg liquid)

Coverage 1.1kg/sqm/coast (2 layers DFT approximately 1 mm)

DR.FIXIT FASTBOND

Economical 2 parts mix cementitious waterproof for bathroom, kitchen



- Good protection from moisture and water leak
- Seamless, quick drying
- Good adhesion on concrete, brick
- Withstand high hydrostatic pressure
- Can apply drinking water application, nontoxic

Areas of Application

Floor, bathroom, kitchen, washing area, balcony, footpath

Package 22.5kg, 2 parts set

(17.5kg powder, 5kg liquid)

Coverage 1.1kg/sqm/layer

(2 layers DFT approximately 1.5 mm)

DR.FIXIT KRYSTALLINE

Crystalline 1 part cementitious waterproof



- Crystalline to plug concrete surface hole, act as water barrier and permanently waterproof
- Withstand both positive and negative hydrostatic pressure up to 150m
- protect concrete & steel rebar from degradation
- Absolutely nontoxic, safe

Areas of Application

Concrete structures; water reservoir, water tank, tunnel, swimming pool, dam, underground structure, foundation, sewage treatment, lift pit, retaining wall, can be apply on damp area

Package 4kg, 20kg (grey powder)

Coverage 0.7kg/sqm/layer

(2 layers DFT approximately 1.5 mm)

DR.FIXIT TORCHSHELD

Torch applied waterproof membrane, Bitumen modified with APP (Sand, Mineral)



- High Strength; Polyester non-woven reinforced with glassfibre
- Low melting point, easy to fix, low gas cost
- High durability, withstand thermal and structural movement
- Excellent waterproof and UV resistance
- Excellent adhesion when apply with Dr.Fixit Primer S

Areas of Application

Metal sheet roof, industrial factory roof, concrete roof terrace, underground structure, retaining wall

Package 1x10m/roll

Thickness 3mm, 4mm

DR.FIXIT SELF ADHESIVE

HDPE Self adhesive waterproof bituminous membrane SBS



- Good protecting from water leak seeping through and moisture
- Easy to use, quick to apply
- Excellent surface adhesion when apply with Dr.Fixit Primer S

Areas of Application

Roof terrace, retaining wall, foundation

Package 1x20m/roll

Thickness 1.5mm

DR.FIXIT TONIC

Highly Concentrated Waterproof additive for Concrete, Mortar, Plaster, Cement Render Application



- Reduce dust and increase waterproof features & strength of concrete
- Smooth trowelling, easy to use
- Protect from water leak, prevent surface cracks

Areas of Application

Water tank, bathroom, balcony, all flooring with strengthening needs Concrete; Waterproof, easy to pour, prevent segregation, reduce cracks & potholes Calcareous cement; Increase cohesion, waterproof, reduce shrinkage crack Render; Increase cohesion, waterproof, easy to trowel, reduce shrinkage crack

Package 5ltr, 20ltr Coverage 200ml/50kg cement

DR.FIXIT WP Admix

Waterproof additive for Concrete, Mortar, Plaster, Cement Render Application



- Increase concrete, mortar, plaster waterproofness
- Reduce water need in mix, increase concrete cohesion
- Reduce shrinkage crack
- Increase concrete compressive strength & durability

Areas of Application

Add admix into concrete, plaster, calcareous cement for waterproofing & preventing segregation. Easy to trowel.

Package 1ltr

Coverage 1ltr/100kg cement

DR.FIXIT PRIMER S

Solvent-based bitumen waterproof primer



- Cover surface cracks of porous surface
- Prevent water leaks and protect from moisture
- Good adhesion, quick drying
- Prime surface prior to applying all types of waterproof sheets & bitumen waterproof membranes

Areas of Application

Old & new concrete, metal, stone slate, smooth tile, concrete, light weight steel pipe, anti-rust metal sheet, wood

Package 20ltr, 200ltr

Coverage 0.15-0.2ltr/sqm/coat

DR.FIXIT Bonding Primer

No stains new concrete primer



- Enhance bonding of surface with waterproof coating and top coat paint
- Excellent concrete protection from alkali, salt spray
- Leave no stain on waterproof coating and paint
- Breathable, allow trap wall water vapour to escape, reduce blister, increase life cycle
- Water-based, easy to use, nontoxic, environmentally friendly

Areas of Application

New concrete, plaster, porous surface

Package 3.785ltr, 18.925ltr

Coverage 0.12ltr/sqm/coat

DR.FIXIT Extra Primer

Old Paint and Metal Surface primer



- Help prime degraded surface with waterproof paint/coating
- Give good adhesion between waterproof paint/coating with surface

Areas of Application

Concrete, mortar, old paint, wood, aluminium, metal, steel, metal sheet roof, coated tiles, ceramic tile

Package 3.785ltr, 18.925ltr

Coverage 0.12ltr/sqm/coat

DR.FIXIT PVC WATER STOP

PVC Sheet for Concrete Structural Joint



- Resistant to acid, alkali, ozone, oxygen and waterborne chemicals
- Waterproof barrier to concrete joint
- Accommodate concrete expansion and contraction

Areas of Application

Structural joints such as bathroom, swimming pool


Package 10 roll/carton

Thickness 4 inch, 6 inch, 8 inch, 10 inch

Length 25m/roll

DR.FIXIT BENTONITE WATER STOP

Hydrophilic water stop



- Contact with water expands 300%
- Easy to use
- Can install in narrow places
- Self-adhesive
- Drilling not needed

Areas of Application

Water retaining structure, swimming pool, underground structure


Package 7 roll/carton

20 mm. x 25 mm. x 5 m. / roll

20 mm. x 15 mm. x 6 m. / roll

DR.FIXIT ROOFKOTE FIBERNET DR.FIXIT ROOFKOTE POLYMAT

Fibre glass net strengthening waterproof sheet membrane High Tensile strengthening waterproof sheet membrane



- Light weight, elastomeric
- High tensile strength
- Excellent at containing liquid, waterproof
- Prevent rot and decay
- Excellent adhesion to various construction materials

Areas of Application

Strengthening waterproofing sheet

Package

Dr.Fixit Roofkote Fibernet 1x100m/roll

Dr.Fixit Roofkote Polymat 1x300m/roll



SEALANTS



Dr.Fixit Pidijoint 6690

Easy & deep pour, hot pour elastic concrete joint sealant



- 5% natural rubber, hot temperature resistance upto 90 °C
- Easy to melt, excellent flow, higher volume gain from melting than normal compare to other hot pour sealant
- Concrete joint water barrier
- Accommodate concrete expansion and contraction
- Excellent concrete adhesion even when immerse in water
- ASTM D6690 Standard, TIS 479-2541 Standard

Areas of Application

Municipal road, rural municipal road, concrete road/bridge/dam/building/joint/slab, Department of Highways, Expressway Authority of Thailand, Royal Irrigation Department, Department of Public Work

Package 12kg/carton

Coverage 0.1kg (1cm depth x 1cm width x 1m length)

DR.FIXIT SEALOBOND 1190

TIS479-2541 Hot pour elastomeric concrete joint sealant



- Concrete joint waterproof barrier
- Accommodate concrete expansion and contraction
- Excellent concrete adhesion even when immerse in water
- UV resistant, not greasy

Areas of Application

Road, rural municipal road, concrete road/bridge/dam/building/joint/slab, standards of Department of Highways, Expressway Authority of Thailand, Royal Irrigation Department, Department of Public Work

Package 15kg/carton

Coverage 0.14kg (1cm depth x 1cm width x 1m length)

DR.FIXIT SEALBOND PRIMER

Hot pour synthetic rubber resin concrete joint sealant primer



- Easy to brush
- Excellent concrete adhesion
- Excellent concrete penetration
- DH-S 309-2001 Standard

Areas of Application

Concrete floor joint,

*Package 3.5ltr, 18ltr**Coverage 0.15ltr/sqm**(depending on surface porosity)***DR.FIXIT TEXTON 3406**

High elastomeric concrete Bridge Ramp Application



- ASTM D3406, AASHTOM283, Standard
- Good elasticity, adhere to concrete well
- Accommodate concrete expansion and contraction

Areas of Application

Concrete road, highway, bridge, ramp

*Package 19kg**Coverage**0.11kg (1cm depth x 1cm width x 1m length)***DR.FIXIT PERMASEAL 1190**

TIS479-2541 Hot pour elastomeric concrete joint sealant



- Prevent moisture passage through concrete joint
- Accommodate concrete expansion and contraction
- Good adhesion to concrete does not peel even when immerse in water
- UV resistant, not greasy

Areas of Application

Road, rural municiple road, concrete

road/bridge/dam/building/joint/slab,

standards of Royal Irrigation Department,

Department of Public Work

*Package 15kg/ carton**Coverage 0.14kg (1cm depth x 1cm width x 1m length)***DR.FIXIT CONJOINT**

Concrete Road Real Estate Entrance & Rice Drying Concrete Pavement Application



- Durable, accommodate concrete contraction and expansion
- Good adhesion to concrete joint does not lose adhesion even when immerse in water
- Sunlight resistant, when dry does not stick to feet
- Easy to pour due to consistent pouring
- Do not need to mix with aggregate, easy to use, can melt again multiple times

Areas of Application

Concrete road/building/carpark/drying rice pavement/

gated community entrance/general concrete joint

*Package 20kg/carton**Coverage 0.14kg (1cm depth x 1cm width x 1m length)***DR.FIXIT PRIMER J**

Solvent-based concrete road joint primer



- Apply to concrete joint surface prior to applying joint sealant
- Easy to brush, good penetration, excellent adhesion to concrete

Areas of Application

Concrete joint

*Package 3.5ltr, 18ltr**Coverage 0.15ltr/sqm (depending on surface porosity)***DR.FIXIT PidiJoint 6297**

High elastomeric asphaltic bridge joint plug



- High elasticity, accommodate bridge contraction
- Fix 5cm crack bridging, quick to open to traffic
- Easy to melt, can mix with gravel to improve strength
- Adhere tightly, does not liquified under hot weather
- Withstand water immerse and protect from water leak, does not peel off
- Department of highway ASTM D6297 standards

Areas of Application

Bridge standards of Expressway Authority

of Thailand, Department of Rural Roads

*Package 12kg**Coverage 18.75kg (50cm**width x 5cm depth x 100cm length)*

DR.FIXIT PidiJoint 6297 HM Quick drying concrete bridge asphaltic plug joint



- Hard rubberly surface, quick drying, can open to traffic immediately
- Fix 5cm crack bridging, can pour thick 5cm amount in one go
- Easy to melt, can mix with gravel to increase strength
- Tightly adhere, does not liquified under heat
- Withstand water immerse, good at protecting from water leak, does not peel off
- Department of highway EN13043 standard

Areas of Application

Department of Highways bridge,
Departement of Rural Roads,
Expressway Authority of Thailand

Package 15kg

Coverage 18.75kg

(50cm width x 5cm depth x 100cm length)

DR.FIXIT PROFIX-500 2 parts epoxy resin joint sealant



- Quick drying, reduce labour time
- Scrub resistant makes it suitable for areas of frequent cleaning such as hospital, food industrial standard kitchen, operation room, restaurant

Areas of Application

Fix precast concrete slab joint sealant

Package 10kg set (Part A 5kg, Part B 5kg), 40kg set (Part A 20kg, Part B 20kg) White, Grey

Coverage 0.25kg/sqm

(1cm width x 1cm depth x 1cm length)

DR.FIXIT EASI SEAL Hand cold apply plug joint



- Hand apply plug to stop water leak
- No need to boil, easy to use, safe
- Can be used effectively on both dry and wet surfaces
- Can apply both vertical and horizontal underwater

Areas of Application

Joint sealant, concrete joint, road joint and surface, panel, water tank, dam, bridge, roof, roof wall gaps, stop leakage, bund wall

Package 25kg

Coverage 0.2kg/1cmx1cmx1m

Dr.Fixit Hot Joint Applicator For apply with hot joint sealant



- Dual joint oil-jacketed tank melter, hot oil system
- 40kg bitumen hot joint sealant capacity
- Hot oil & sealant thermometer
- Stir handle
- LPG cooking gas can be use as fuel for melter

Package 40ltr, 80ltr

DR.FIXIT SOLYFLEX 650 Bituminous Cold sealant



- Seal water leak crack, adhere various materials
- Good elasticity
- Durable, does not peel off, even under water immersion
- Does not liquefied, pour vertical/horizontal/slope
- Underground, underwater, above water, general construction

Areas of Application

Dam, bridge, wall, pipe, waterproof sheet, insulation sheet

Package 3.5kg/20kg 310ml cartridge

Coverage 100ml/1cmx1cmx1m

DR.FIXIT SILICONE SEALANT GPS Acetic cure silicone sealant protect from algae/fungi



- Excellent adhesion to various materials, waterproof
- UV resistant, anti-fungi, durable, elastic
- Easy to use, ready to use

Areas of Application

Sealing and fixing glass on aluminium windows frame instead of rubber beads

Package 280ml cartridge (Clear, White, Aluminium, Black)

Coverage 100ml/1cmx1cmx1m

DR.FIXIT RAINKOTE FIX & SEAL

Fix crack, seal joint, protect from water leak sealant



- Can apply on damp surface, for interior and exterior surface
- Excellent waterproof properties
- Excellent adhesion to most construction materials
- Ready to use

Areas of Application

Kitchen, windowsill, bathroom, sealing cracks and water leaks, vertical joint, horizontal joint, slope joint, waterproof sheet membrane, insulation sheet, insulation panel

Package 310ml cartridge (Black, White, Grey, Oak)

Coverage 100ml/1cmx1cmx1m

DR.FIXIT PU SEALANT 40

High adhesion polyurethane joint sealant



- Adhere to various surfaces
- Good high adhesion, accommodate contraction and expansion well, sunlight resistant
- Quick drying, paintable

Areas of Application

Precast sheet and wall joint, wood, PVC, aluminium, concrete roof tile

Package 600ml (Black, White, Grey)

Coverage 100ml/1cmx1cmx1m

DR.FIXIT PU SEALANT

Polyurethane joint sealant



- Leave no stain, non-sagging, ready to use, paintable
- Excellent elasticity and durability, bio-degradation resistant, weatherproof
- Excellent adhesion to most construction materials

Areas of Application

Expansion joint, construction joint, control joint, perimeter pointing, repair crack on non-moving concrete

Package 300ml, 600ml (White, Grey)

Coverage 100ml/ 1cmx1cmx1m

DR.FIXIT Joint Filler 1751

Wood fibre soft board bitumen impregnated, concrete expansion joint filler



- TIS1041-2534 Department of highways
- Good elasticity >700%
- Withstand high temperatures, materials will not melt or liquefied from high temperatures
- Withstand heavy weight load, heavy weight does not deform shape
- Does not absorb water, moisture resistant

Package 4 foot width x 7 foot length

Thickness 10mm, 20mm, 25mm

DR.FIXIT Geomatt 4595

Nonwoven synthetic rubber polypropylene mesh



- Department of Highways Standards
- Heat and UV resistant
- Protect ground level and good at draining water
- Protect material from tear
- Suitable for road construction, retaining wall, roof garden

Package 4m width, 200m length/roll

DR.FIXIT GAP SEAL TAPE

Modified bitumen waterproof joint sealing tape



- Waterproof, seals cracks, excellent adhesion
- UV and tear resistant
- Easy to use, stainless
- Self-adhesive

Areas of Application

Aluminium, Polycarbonate roof, metal sheet, metal, wood, splash barrier, stormdrain, air vent

Package 1 roll

5cmx10m, 10cmx1m, 10cmx3m, 20cmx3m, 30cmx3m, 30cmx10m include steel clamp



DR.FIXIT Skimkote 103 Color Plus Ready to use cream, thin colour skim coating



- Colourful smooth finish skim coating paste
- Anti-fungus, anti-algae suitable for wall paper installation
- UV and sea salt resistant, seaside waterproof
- Eliminate blemishes
- High adhesion on various surfaces
- Easy to use, quick drying, spread easily and evenly
- 0.2-5mm skim coating paste

Areas of Application

Concrete shell-work, blemish removal, wallpaper installation, skim coating interior and exterior

Package 5kg, 20kg (White, Cream, Grey, Blue)

Coverage 1.3-1.4kg/sqm/1mm

thickness 2 coats minimum

DR.FIXIT Skimkote 101 Cream mix with cement/gypsum thin skim coat



- Mix with cement and gypsum, 0.3-0.5mm thin skim coat
- Skim easy and smoothly, cohesive surface, dustless
- High adhesion, no water leaks, no cracks
- Cover crazing, bug eye, spalling
- Seamless beautiful surface for both surfaces with other topcoat paint or on its own

Areas of Application

Cement mix Skimkote 101 : interior & exterior

Gypsum mix Skimkote 101 : interior only

Package 5kg, 25kg

Mixing 1:1 Skimkote 101:1-1.2 Cement/Gypsum

Coverage 0.4-0.6 Kg/Sqm/1mm thickness

(depending on surface porosity)

DR.FIXIT SKIMKOTE POWDER Powder cement for thin smooth surface



- Thin 0.5-4mm skim coating
- Skim coat porous surface, blister, hairline crack
- Easy to trowel, dustless, paintable
- Excellent adhesion

Areas of Application

0.5-4mm bridge crack, hairline crack, blister, pinhole, porous surface, precast concrete

Package 20kg white, grey

Coverage 1.3-1.4kg/sqm/coat/ 1mm

thickness 2 coats minimum

DR.FIXIT INSTANT LEAK PLUG Quick drying water leak plug cement



- Instant hardens under wet conditions
- Quick drying within 1-2 mins
- Ready to use
- Crack sealing both concrete and masonry surfaces

Areas of Application

Water retaining structures, RCC water tank, pipe, dam, tunnel

Package 1kg, 4.5kg

Coverage depends on area of application

DR.FIXIT EPOXY INJECTION GROUT Epoxy for fixing cracks at building sites



- Fix crack in concrete, brick
- Adhere to concrete well
- High tensile and compressive strength
- Cover cracks, protect structure defects

Areas of Application

Fix crack in concrete structure

Package 2kg set

DR.FIXIT SUPER LATEX

Concrete bonding agent for repairing and waterproofing



- Reduce drying time, reduce grout viscosity, enhance elasticity, durability
- Resistant to corrosion, erosion, abrasion, weather, frost

Areas of Application

Waterproof, repair structural concrete, old and new concrete surface, brick, tile, stone bedding

Package 1ltr, 5ltr, 20ltr

Coverage 1ltr/4-5sqm bonding concrete application

DR.FIXIT UNIREPAIR FC

Special cement mixed with fibre for repairing concrete



- Easy to use, 50mm max diameter thickness
- Excellent adhesion
- Prevent delamination, cracking, deboning
- Excellent chloride and carbon dioxide resistant

Areas of Application

Repair structural concrete, reinforce weakened structure, chamfer and seam treatment prior to waterproof coating

Package 4kg, 25kg

Coverage 1.35kg/sqm/ 1mm thickness (depending on surface)

DR.FIXIT PREMIX

Asphalt Ready Mix for Cold patch



- Premix compound, use directly from bag to pothole
- Good adhesion on old road surface
- Durable, can apply on both wet and dry roads/pavements

Areas of Application

Pothole repair concrete and bitumen road and pavement

Package 20kg



TILING and ADHESIVE



DR.FIXIT FEVIMATE XL

Large tile, swimming pool cementitious tile adhesive



- Apply on big ceramic tile, porcelain, marble, glass, mosaic
- Excellent elasticity, accommodate physical and thermal movement
- Low shrinkage prevents tile and joint crack, water barrier, preventing tile from falling off

Areas of Application

Interior and exterior floor and wall, kitchen, water reservoir, bathroom

Package 20kg

Coverage 3-7sqm/bag

DR.FIXIT FEVIMATE TL

Tile on tile, glossy surface cementitious tile adhesive



- Adhere to various surfaces (oak wood, glossy tile, baked tile, viva board, fibre cement)
- Adhere to all types of tiles including heavy tiles
- Accommodate heavy vibration, physical movement, thermal movement, excellent elasticity
- Low shrinkage prevents tile and joint crack
- Water barrier, preventing tile from falling off
- Ansi-228.4-2012 Standard

Areas of Application

Interior and exterior floor and wall, carpark, spa, jacuzzi

Package 25kg

Coverage 3-7sqm/bag



DR.FIXIT PIDITOP 333

Non-metallic aggregate concrete floor hardener



- Harden concrete floor, increase strength
- Abrasion resistant
- Ready to use, form cementitious form after mixing
- Non-metallic, free of rust
- Easy to use, oil and grease resistant

Areas of Application

Industrial factory flooring, warehouse, loading bay, carpark, runway

Package 25kg (natural, dark grey, light grey, green)

Coverage

Heavy traffic 4-6kg/sqm

Medium traffic 2-4kg/sqm

DR.FIXIT UNITOP SLC-1

Ready to use interior self-levelling cement



- 3-7mm self-levelling
- Easy to use, durable, no crack

Areas of Application

Interior self-levelling cement prior to laying parquet, carpet, laminate wood flooring, tile

Package 25kg

Coverage 1.6kg/sqm (1mm thickness)

DR.FIXIT UNITOP SLC-2

Ready to use exterior self-levelling cement



- 3-7mm self-levelling
- Easy to use, durable, no crack

Areas of Application

Exterior self-levelling cement

Package 25kg

Coverage 1.6kg/sqm (1mm thickness)

DR.FIXIT SLC PRIMER

Self-Levelling Cement Primer



- Help prime surface between old concrete and new concrete
- Excellent at reducing moisture and water
- Reduce concrete blistering that causes porous surface
- Elastomeric, chemical resistance

Areas of Application

Self-levelling cement primer

Package 5ltr, 20ltr

Coverage 0.15-2ltr/sqm



DR.FIXIT PROFLEX - 650

Synthetic rubber wood boat sealant



- Synthetic material, no mixing needed, ready to use
- Withstand water immersion, sunlight resistant
- Good adhesion, durable, flexible, no crack, no peeling

Areas of Application

Cold room, seal nut, seal wood frame, ship deck, ship bridge, ship keel, ship stern, bulwark, ship cabin, etc.

Package 1kg, 3.5kg



DR.FIXIT Bath Seal Grout

Non-shrinking grout seal sewer & sanitary ware pipes



- Easy to mix just add 1ltr water per 1 can
- Can hand stir, good flow, does not segregate
- Does not shrink, does not crack
- Reduce cracks, easy to pour through formwork
- Does not contain Chloride or other rust causing materials

Areas of Application

Fill & seal pores around sewer & sanitary ware pipes, general structure grouting

Package 4kg

Coverage 4kg grout/1ltr water

DR.FIXIT PIDIGROUT GP

General purpose non-shrinking grout



- Compressive strength >600ksc
- Does not shrink when dry
- Very good flow, fill all gaps till full
- Does not leak water, does not precipitate silt
- Does not contain Chloride or other rust causing materials

Areas of Application

Fix concrete structure column, machine/ equipment foundation, rebar in concrete

Package 25kg (approximately 12.5ltr)

Free flowing grout mix 3.75-4ltr water

DR.FIXIT PIDIGROUT 5 M

High Strength non-shrinking grout >750ksc



- Non-shrinking >750ksc Compressive Strength
- No excess concrete bleeding and segregation, good flow in formwork
- Reduce porous surface issues, quick drying, early high strength
- No rust causing material

Areas of Application

Machine/ equipment foundation, steel structure foundation, bridge bearing pad, crane gutter bracket, beam, fill concrete hole, precast concrete slab, column, beam

Package 25kg (approximately 12.5ltr)

Free flowing grout mix 3.75-4ltr water

Trowelling grout mix 3.25-3.5ltr water

DR.FIXIT PIDIGROUT 10 M

High Strength non-shrinking grout >800ksc



- Non-shrinking >800ksc Compressive Strength
- No excess bleeding and segregation, good flow in formwork
- Drill resistant, control expansion
- Reduce porous surface issues, quick drying, early high strength
- No chloride and other rust causing material

Areas of Application

Machine/ equipment foundation, steel structure foundation, bridge bearing pad, crane gutter bracket, beam, fill concrete hole, precast concrete slab, column, beam, manhole cover

Machine/ equipment foundation

Package 25kg (approximately 12.5ltr)

Free flowing grout mix 4-4.25ltr water

Trowelling grout mix 3.25-3.5ltr water

DR.FIXIT EPOXY REBAR GROUT

Epoxy rebar adhere to various surface



- Easy for inserting rebar, steel size 10-32 mm. diameter
- Apply on joint to insert rebar, use in making precast structure
- Fix porous concrete surface
- Does not contract when dry, no excess bleeding, high tensile force
- Abrasion resistant, can apply on both dry and wet areas

Areas of Application

Concrete rebar/nut/ various fastener, adhere various surface, steel, tile, aluminium, wood, precast structure concrete such as column, beam,

Package 1kg A+B set

Mixing ratio: A+B= 2:1



DR.FIXIT P-Kote 1062

Special polymer admix for concrete coating



- Pass DIN EN1062 Part 6 Anti-Carbonation test
- Durable, resistant to acid rain and car exhaust fume
- Excellent adhesion, can paint on old paint do not need primer
- Just paint 2 coats for seamless surface, cover all defects
- Easy to paint dustless, can leave expose or paint other top coat on

Areas of Application

Protect concrete surface from car exhaust, bridge, barrier

Package 25kg

Coverage 0.5kg/sqm/layer

(2 layers DFT approximately 200 micron)

DR.FIXIT MULTICLOR

Water-based acrylic paint for surface of sports and tennis courts



- International Tennis Federation (ITF) standard
- Slip resistant, waterproof
- Sunlight resistant, heat reflective
- Excellent adhesion to concrete and bitumen mastic flooring
- Quick drying
- Anti-fungi

Areas of Application

Mastic floor, sport court, futsal court, tennis court, bike lane

Package 25kg (green, red, grey, blue)

Coverage 0.2kg/sqm/layer

(2 layers DFT approximately 300 micron)

Dr.Fixit Zefiti Kwik AS

Elastomeric Acrylic Modified for Anti-Skid Flooring, easy to clean



- Dust not pick up, easy to clean
- Quick drying can walk on within 30 minutes
- Tyre resistant and abrasion resistant >400,000 cycle
- Not slippery, have fine aggregate mix
- Water-based, easy to use, do not need primer

Areas of Application

Factory warehouse, municipal/school/real estate sport court

Package 18.925ltr

Coverage 0.2ltr/sqm 300 micron dry film thickness 2-3 coats minimum

White, Grey, Yellow, Red, Green, Blassing Blue, Blue, Black, Blue 5015

Dr.Fixit Bike Lane TR

Acrylic tyre resistant paint, easy to clean



- Car and bike tyre resistant, easy to clean
- >400,000 cycle abrasion resistance, 5 years gurantee
- Quick drying, open within an hour
- Not slippery, have fine aggregate mix
- Resistant to sunlight, rain and weather
- Do not need primer, can adhere to bitumen and concrete surface
- Water-based, environmentally friendly

Package 25kg

Coverage 0.25kg/sqm/layer

(2 layers DFT approximately 300 micron)

White, Grey, Yellow, Red, Green, Blassing Blue, Blue, Black, Blue 5015

Dr.Fixit Zefiti Kwik

Acrylic road line paint for road directions and road safety



- Quick drying can walk on within 15 minutes
- High solid content do not need primer
- Glass bead sprinkle are tough will last longer than 5 years
- Dark colour shade, UV resistant, corrosion resistant
- Resistant to Car tyre, stain and abrasion
- Adhere to various surfaces such as bitumen, concrete, metal, steel
- Water-based, enviromentally friendly

Areas of Application

Contractor, carpark, factory, hotel, real estate, municipal road lines, dubhouse

Package 1ltr, 3.785ltr, 18.925ltr

Coverage 0.2ltr/sqm/layer

(2 layers DFT approximately 300 micron)

White, Yellow, Red, Black, Blue, Green

Dr.Fixit TraxTite Anti-Skid Set

Cold Plastic Traffic Anti-Skid Paint Set for skid resistant surface



- Safe, reduce skid with EN 1436 standard Anti-Skid Value >S5 (SRT>65)
- TIS2611 cold plastic standard
- 7-15 minutes cure after mixing 2 parts together
- Hardener can always bind well with main ingredient
- >400,000 cycle abrasion resistant EN13197
- Resistant to oil stain and chemicals, good adhesion to concrete and bitumen

Package 1 Set 32.16 kg consist of
Part A 16kg main ingredient (colour liquid)
Part B 160g hardener
Part C 16kg fine aggregate
Coverage 2kg/sqm/coat 1-3mm thickness

Dr.Fixit TraxTite

Cold Plastic Traffic Paint for road marking



- TIS2611 cold plastic standard
- 7-15 minutes cure can open to traffic immediately
- Colour stability does not fade
- Resistant to oil stain and chemicals

White, Yellow, Red, Green, Blue, Black

Package 1 Set 16.16kg consist of
Part A 16kg resin (colour liquid)
Part B 160g hardener
Coverage 1-2kg/sqm/coat 1-2mm thickness

Dr.Fixit TraxTite High Friction Aggregate

Calcined bauxite



- High friction, anti-skid
- Abrasion resistant help keeps its anti-skid features longer
- Low thermal expansion, help adhere to cold plastic longer

Package 16kg

Dr.Fixit TraxTite Sealer

Concrete road primer prior to painting cold plastic paint



- Easy to brush, smooth on the hands
- Cover concrete cracks, reduce blisters
- Help prime cold plastic on concrete surface

Package 1 set 16.32kg consist of
Part A 16kg and Part B 320g
Coverage 0.1kg/sqm

DR.FIXIT SUPER SUNSHIELD

Heat reflective cement coating



- Reflect >95% solar heat
- Enhance roof & wall life cycle
- Water-based, environmentally friendly
- Waterproof and sound deadening

Areas of Application

Roof, wall, tower, industrial factory, energy saving, reduce heat

Package 16kg (white, light grey)

Coverage 0.25kg/sqm/coat (2-3 coats minimum)

DR.FIXIT BEAUFLEX 500

Waterproof paint for interior and exterior



- Elongation, permanent elasticity, UV resistant
- Anti-carbonation, efflorescence, >2mm excellent crack bridging capacity
- Waterproof & decorate structure
- Superior wet-scrub resistant, washable

Areas of Application

Concrete wall, concrete block, brick, wood, tile, cement, skim coated wall, old painted surface

Package 25kg

Coverage 0.3kg/sqm/layer

(2 layers DFT approximately 300 micron)

DR.FIXIT FUNKI WASH

Fungicidal wash



- Remove and prevent spawning of algae and moulds
- Surface preparation prior to printing, skim coating, wallpaper installation
- Odourless, environmentally friendly

Areas of Application

Internal and external wall and floor

Package 1ltr

DR.FIXIT Coal Tar Epoxy 82

2 parts coal tar epoxy for concrete wood and metal surfaces



- Consistent, easy to use, excellent adhesion
- Long lasting durability, corrosion protection
- Good abrasion resistant
- pH range 3-11 chemical resistant
- Self-priming

Areas of Application

Internal and external wall and floor, concrete, fibre cement, natural stonework, sandstone, brick, roof tile

Package 4.5ltr, 17.5ltr

Coverage 0.25ltr/sqm/layer

(2 layers DFT approximately 300 micron)

DR.FIXIT Solyfilm #1

High gloss film waterproof, anti-algae repellent



- Coat gloss film surface, no yellow stain, UV radiation resistant
- Excellent penetration high protection against water leak
- Easy to clean dirty stains and algae
- Can be apply immediately, easy no mixing in product, can spray

Areas of Application

Vertical and horizontal surface, wall, floor, paving slab, terracotta tile, concrete, fibre cement, natural stone, roof tile, brick, façade coating, road motor, wood, synthetic wood

Package 1 ltr, 3.785ltr, 19.15ltr

Coverage 0.06ltr/sqm/layer

(2 layers DFT approximately 70 micron)

DR.FIXIT Nano Water Repellent

Waterproof and anti-algae repellent



- Penetrate and cover holes and cavities, does not alter apply surface material
- Waterproof, no stain, ink resistant, inhibit fungi and algae
- Adhere to glossy surface, not leaving white stain
- Water-based, ready to use, odourless, nontoxic

Areas of Application

Wall, floor, high porous surface, ceramic tile, concrete, natural stone, terracotta tile, brick, statue

Package 1ltr, 3.785ltr

Coverage 0.2-0.5ltr/sqm/coat (2 coats minimum)

DR.FIXIT HIGLOSS 4

Corrosion protection varnish



- Excellent waterproof, acid, alkaline, salt spray, water vapour
- Excellent adhesion, will not peel off under impact and structural vibration
- Elastic, quick drying, odourless, no stain

Areas of Application

Paint/spray on steel plate/metal for rust and corrosion protection, paint/spray waterproof on concrete, wood, brick, light insulation sheet, smooth concrete slab

Package 18ltr, 200ltr

Coverage 0.1-0.2ltr/sqm/coat (2 coats minimum)

DR.FIXIT UPC - 200

Antirust under the car coating



- Permanent adhesion, does not brittle easily
- Quick drying, odourless during spraying
- Durable, adhesive, strong, excellent elasticity
- Water-based, single component easy to use
- Resistant to both water and salt water
- Withstand temperature up to 180°C

Areas of Application

Antirust waterproof coating apply on old paint and new paint surface, concrete surface, brick, fibre cement, metal, wood, sound deadening

Package 25kg, 200kg

Coverage 1-1.2kg per 1 4-wheels car

DR.FIXIT Dutymax Airless Sprayer

Hydraulic airless sprayer for waterproofing and paint



- High horse power pressure hydraulic oil fuel sprayer, Honda motor. Max speed 12ltr/minute, max pressure 228 bar
- Can spray both high viscous material and 100% solid content, i.e. acrylic, PU, epoxy, bitumen
- Combine with various spray head size, tube, air pump
- Suitable for large area, roof terrace, metal sheet roof, ceramic roof, ship container, barrier, formwork



AD MIXTURES



DR.FIXIT UNIRELEASE WB

Concrete water-based mould release agent



- Mix with water prior to brushing
- Easy to brush, help formwork
- For smooth concrete surface
- Leave no stain on concrete
- No affect on painting or skim coating afterwards
- Easy to use brush/spray
- Formworks for all types of concrete

Areas of Application

Formworks for all types of concrete

Package 200ltr

Coverage 150-200ltr/sqm

Water mix ratio: 1ltr for 4ltr water

DR.FIXIT UNIRELEASE SB

Concrete solvent based mould release agent



- Easy to use, no water mixing needed
- Easy to brush, help formwork
- For smooth concrete surface
- Leave no stain on concrete
- No affect on painting or skim coating afterwards

Areas of Application

All types of concrete formwork

Package 200ltr

Coverage 1ltr/30-40sqm

DR.FIXIT UNICURE SS

Silicate based concrete curing agent



- Reduce shrinkage cracks
- Cure concrete cause concrete surface to harden
- Ready to use, spray/brush
- Conform to TIS841-2005 Standard

Areas of Application

Structure concrete

Package 20ltr, 200ltr

Coverage 1ltr/6-7sqm

Project References



KThai Maruken Factory,
Bangkok, Thailand
Product : Pidigrout 10M



Songkhla Rajabhat University
Songkhla, Thailand
Product : Newcoat



Baankhuanlumpoo School,
Nakhon Si Thammarat
Product: TraxTite



Sunstar Serviced Apartment
Product : Fastflex, Pidffin 2K,
Torchshield



The bridge over the river Kok,
Chiangrai
Product: P-Kote 1062



Krungthai Bank,
Samutprakarn
Product : Torchshield



Miami Bangpoo Condominium
Product : Skimkote Powder



Baan San Ngam Hua Hin
Product : Newcoat,
Super Sunshield



Bike Lane :
Nongpear Samutprakarn
Product : Bike Lane TR



Sky Lane : AOT Suwanaphoom
Product : Bike Lane TR, TraxTite



IRPC : Powerplant Rayong
Product : Sealobond 1190



Maemoh EGAT
Product : Coal Tar Epoxy 82



Millennium Condominium
Product : Hydrolastic PU Cool



Jewelry Trade Center
Product : Hydrolastic PU




The Lake Condominium
Product : Newcoat PU Roof Garden



Silk Place Laksi
Product : Unirepair FC



MRT (Tapra-Bangsup)
Product : Self-Adhesive



Srinakharinwrot University
Product: Multiclor

Visit: www.amafhhtraders.com | Email us: amafhhtraders52@gmail.com

Contact us: +91 98906 77253

Stay connected with us:    